
◆

CAPITAL COMPACTORS CP10 SKIP PORTABLE WASTE COMPACTION SYSTEM

◆

SPECIFICATION

Compaction force 18 tons

Power pack with 4.0kW electric motor, 400v, 50Hz, 16A electric plug

Control voltage 24v, power pack lies under the cylinder compartment

Compacting cylinders 2 pcs 80mm, crossing

Charge box dimensions: 800 x 1400mm (length x width)

Ram dimensions: 600 x 1400mm (height x width)

Top hinged rear door with rubber sealing strip, leak resistant

Control panel in a lockable cabinet: start, emergency stop, 75% full indicator

Running pre-set timer for number of cycles

Hopper customised to suit individual loading requirements

Gripping teeth 3 pcs under the cutter bar

Lifting lugs 8 pcs at side

Overall dimensions: 4250 x 1900 x 2150mm (length x width x height)

Due to our policy of continual improvements and upgrading, we reserve the right to alter specifications without prior notice.


◆



CP10 Skip Portable Leak Resistant Waste Compaction System with Hydraulic Bin Lift and Personnel Safety Enclosure with Interlocking Gate



CP10 Waste Compactor



NB: Power Supply Required : 415V 3 Phase + Earth 32 Amp Motor Rated Fuses and can be located on the left or right hand of the machine